


# Mold Rx

## Location A




Results after using a Hospital Disinfectant, a Fungicide & Bleach

Results After 24 Hrs Diffusion of the Essential Oil Blend

Results After Doing No Diffusing for 2 Weeks

## Diffused Essential Oil Blend for 48 hours


### Location B Diffused 48 hrs.



Results After 48 Hrs Diffusion of the Essential Oil Blend

## Diffused Essential Oil Blend for 72 hours

### Location C - Source Bulk Sample Diffused 72 hrs.



Results After 72 Hrs Diffusion of the Essential Oil Blend

## 10 Steps to Prevent and Eliminate Toxic Mold

### A. If you do not have mold -- **PREVENT MOLD**

Diffuse the blend of essential oils shown in this video for 15 minutes every 3 hours, or you may instead diffuse for 8 hours, non-stop, once a week.

### B. If you have mold -- **Eliminate MOLD AND KEEP IT FROM COMING BACK**

- SAMPLING** -- Contact a professional to have sampling done to determine the type of mold, and whether it is toxic or not. Toxic mold must be dealt with differently than non-toxic mold.
- DIFFUSE** -- After samples have been collected, then diffuse the Essential Oil Blend for 24-72 hours, **non-stop**, in the space(s) where mold was found. One (1) recommended cold-air diffuser works well in spaces up to 1000 sq. ft. in size. If possible, and for best results, leave the room closed and sealed during this intensive diffusing. This will allow maximum penetration and absorption of the essential oil blend.
- REPAIR LEAKS** -- Repair all leaks and eliminate all sources of moisture.
- CLEAN THOROUGHLY** -- If sampling identifies **NO toxic mold**, then after diffusing has been completed, clean visible mold and stains with the recommended Household Cleaner, undiluted. Use protective equipment and take precautions to avoid contact with and breathing mold spores while cleaning.
- If sampling identifies **TOXIC MOLD**, then contact a professional mold remediation service to have infested materials removed and properly disposed.
- RESAMPLE** - Have your professional resample to be sure all sources of mold have been identified and remediated.
- REPEAT** -- If necessary, repeat steps 1 through 6, above.
- REMOVE** -- Remove mold infested materials, seal in plastic and properly dispose. If you do **NOT** have toxic mold, you may dispose sealed materials in your garbage.
- REPAIR, REPLACE, and REFINISH** all affected areas.
- DIFFUSE REGULARLY** for prevention and protection. See Item A, above, for details.